

## Product Catalogue

# 2010



## MOTORSPORTS



## QUICK RELEASE STEERING WHEEL HUB

2

The Quick Release Steering Wheel Hub fits vehicles that have  $\frac{3}{4}$ " or  $\frac{5}{16}$ " Diameter round steering shafts like many of the domestic cars and Pickups from AMC, Buick, Cadillac, Chevy, Chevrolet, Chrysler, Dodge, Ford, Mercury, Mopar, Oldsmobile and Pontiac.



**Part No: N155-01-00-ZBL**

**Part No: N155-02-00-ZBU**



Made of light weight hard Aluminium (6061), Spring Loaded with Non-Removable pin,

Hex bore for a very precision tolerance fit. Chromium Plated Hex.

**Part No: N155-03-00-CRD**



Ideal for any three bolt steering wheel pattern.

Very quick release: Just push to release

**Part No: N155-04-00-CSL**



Anodized in various colours: Black, Silver, Blue and Red Sizes Available:  $\frac{3}{4}$ ",  $\frac{5}{8}$ "

## QUICK RELEASE STEERING WHEEL HUB - HEX NUTS

3

Made of steel and White Zinc plated (12 micron) these hex nuts are rust free.

Available in two size: 3/4 "and 5/8"



**Part No: N155-01-01-ZWH**

Part No.	Colour	Description
N155-10-00BL	Black	Push Button Quick Release Steering Wheel Hub Hex Bore Size 3/8"
N155-1A-00BL	Black	Push Button Quick Release Steering Wheel Hub Hex Bore Size 5/8"
N155-20-00BU	Blue	Push Button Quick Release Steering Wheel Hub Hex Bore Size 3/8"
N155-2A-00BU	Blue	Push Button Quick Release Steering Wheel Hub Hex Bore Size 5/8"
N155-30-00RD	Red	Push Button Quick Release Steering Wheel Hub Hex Bore Size 3/8"
N155-3A-00RD	Red	Push Button Quick Release Steering Wheel Hub Hex Bore Size 5/8"
N155-40-00SL	Silver	Push Button Quick Release Steering Wheel Hub Hex Bore Size 3/8"
N155-4A-00SL	Silver	Push Button Quick Release Steering Wheel Hub Hex Bore Size 5/8"

Packaging Dimensions: 26x26x13cms Weight: 7.4 Kilo Quantity in one corrugated carton: 24 pieces

Part No.	Description
N155-10-01-ZW	Hub Nut (Bore Size: 3/8") White Zinc Plated
N155-1A-01-CW	Hub Nut (Bore Size: 3/8") Nickel Chrome Plated
N155-10-02-ZW	Hub Nut (Bore Size: 5/8") White Zinc Plated
N155-1A-02-CW	Hub Nut Bore Size: 5/8") Nickel Chrome Plated

Packaging Dimensions: 13x13x7cms Weight: 1.4 Kilo Quantity in one corrugated carton: 16 pieces

## SPLINED QUICK RELEASE STEERING WHEEL HUB

Splined quick release steering wheel hubs are used for more precision fit. These

Hubs do not have any play at all which may still be there in Hex type hubs.



Part No.	Colour	Description
N155-50-00-PR	Purple	Push Button Quick Release Steering Wheel Hub Spline Bore Size 3/8"
N155-5A-00-PR	Purple	Push Button Quick Release Steering Wheel Hub Spline Bore Size 5/8"
N155-60-00-BL	Black	Push Button Quick Release Steering Wheel Hub Spline Bore Size 3/8"
N155-6A-00-BL	Black	Push Button Quick Release Steering Wheel Hub Spline Bore Size 5/8"
N155-70-00-BU	Blue	Push Button Quick Release Steering Wheel Hub Spline Bore Size 3/8"
N155-7A-00-BU	Blue	Push Button Quick Release Steering Wheel Hub Spline Bore Size 5/8"
N155-80-00-RD	Red	Push Button Quick Release Steering Wheel Hub Spline Bore Size 3/8"
N155-8A-00-RD	Red	Push Button Quick Release Steering Wheel Hub Spline Bore Size 5/8"
N155-90-00-SL	Silver	Push Button Quick Release Steering Wheel Hub Spline Bore Size 3/8"
N155-60-00-SL	Silver	Push Button Quick Release Steering Wheel Hub Spline Bore Size 5/8"

Packaging Dimensions: 26x26x13cms Weight: 7.2 Kilo Quantity in one corrugated carton: 24 pieces

## QUICK RELEASE STEERING WHEEL HUB - ELLIPTICAL DESIGN

This new design in quick release racing hub uses a unique elliptical asymmetric hub allowing fail safe and rapid steering wheel removal and replacement.



**Part No: N156-10-00-ZBL**

- *CNC machined and heat treated to the highest levels of hardness*
- *Elliptical slug has more bearing surface than hexes or splines for reduced wear*
- *Asymmetrical design prevents cockeyed steering wheels*
- *Near zero tolerances and very little play*

Anodized aluminium hub accepts three 10-32 bolts on a 50 bolt circle. Steel center slug has a 20m (0.78”) outside diameter and a 12m (0.47”) inside diameter for welding to your steering shaft.

**Part No: N156-20-00-ZPR**



- *Fits to almost all 6 holes steering wheels including Momo, OMP, Sparco*
- *Made of High Quality AU2GN Aluminium (Aircraft grade)*
- *Comes with all required bolts, Keys, Spanner, installation instructions for installation.*




**Part No: N156-30-00-ZLB**

Part No.	Colour	Description
N156-10-00-ZBL	Blue	6 Holes Quick Release Elliptical Hub
N156-20-00-ZPR	Purple	6 Holes Quick Release Elliptical Hub
N156-30-00-ZBL	Light Blue	6 Holes Quick Release Elliptical Hub
N156-40-00-ZBL	Black	6 Holes Quick Release Elliptical Hub
N156-10-01-ZBL		Hardware Kits (Containing 6 nuts, 6 bolts, 1 Allan Key, Spanner and installation instruction.

Packaging Dimensions: 26x26x20 cms, Weight : 5.9 Kilo, Quantity in one corrugated carton: 18 pieces

## Threaded Inserts



We produce a large selection of threaded inserts for all forms of motorsports. All inserts are threaded on highly precision CNC threading machines. They have been Chromium plated for extra protection from rust.



Part No.	Thread Size	Description
N156-TI-6x1 RH	6x1	OD: 10mm, Right Hand Metric Threaded insert
N156-TI-6x1 LH	6x1	OD: 10mm, Left Hand Metric Threaded insert
N156-TI-8x1.25 RH	8x1.25	OD: 12mm, Right Hand Metric Threaded insert
N156-TI-8x1.25 LH	8x1.25	OD: 12mm, Left Hand Metric Threaded insert
N156-TI-10x1.5 RH	10x1.5	OD: 20mm, Right Hand Metric Threaded insert
N156-TI-10x1.5 LH	10x1.5	OD: 20mm, Left Hand Metric Threaded insert
N156-TI-12x1.75 RH	12x1.75	OD: 20mm, Right Hand Metric Threaded insert
N156-TI-12x1.75 LH	12x1.75	OD: 20mm, Left Hand Metric Threaded insert
N156-TI-14x1.5 RH	14x1.5	OD: 22mm, Right Hand Metric (Fine) Threaded insert
N156-TI-14x1.5 LH	14x1.5	OD: 22mm, Left Hand Metric (Fine) Threaded insert
N156-TI-14x2.0 RH	14x2.0	OD: 22mm, Right Hand Metric Threaded insert
N156-TI-14x2.0 LH	14x2.0	OD: 22mm, Left Hand Metric Threaded insert
N156-TI-16x1.5 RH	16x1.5	OD: 22mm, Right Hand Metric (Fine) Threaded insert
N156-TI-16x1.5 LH	16x1.5	OD: 22mm, Left Hand Metric (Fine) Threaded insert
N156-TI-16x2.0 RH	16x2.0	OD: 22mm, Right Hand Metric Threaded insert
N156-TI-16x2.0 LH	16x2.0	OD: 22mm, Left Hand Metric Threaded insert
N156-TI-18x1.5 RH	18x1.5	OD: 22mm, Right Hand Metric (Fine) Threaded insert
N156-TI-18x1.5 LH	18x1.5	OD: 22mm, Left Hand Metric (Fine) Threaded insert
N156-TI-20x1.5 RH	20x1.5	OD: 25mm, Right Hand Metric (Fine) Threaded insert
N156-TI-20x1.5 LH	20x1.5	OD: 25mm, Left Hand Metric (Fine) Threaded insert
N156-TI-5/16"-24RH	5/16"-24 UNF	OD: 1" (25.4mm), Right Hand, UNF Threaded insert
N156-TI-5/16"-24LH	5/16"-24 UNF	OD: 1" (25.4mm), Left Hand, UNF Threaded insert
N156-TI-3/8"-24RH	3/8"-24 UNF	OD: 1" (25.4mm), Right Hand, UNF Threaded insert
N156-TI-3/8"-24LH	3/8"-24 UNF	OD: 1" (25.4mm), Left Hand, UNF Threaded insert
N156-TI-7/16"-20RH	7/16"-20 UNF	OD: 1" (25.4mm), Right Hand, UNF Threaded insert
N156-TI-7/16"-20LH	7/16"-20 UNF	OD: 1" (25.4mm), Left Hand, UNF Threaded insert
N156-TI-1/2"-20RH	1/2"-20 UNF	OD: 0.996" (25.3mm), Right Hand, UNF Threaded insert
N156-TI-1/2"-20LH	1/2"-20 UNF	OD: 0.996" (25.3mm), Left Hand, UNF Threaded insert
N156-TI-1/2"-20RHS	1/2"-20 UNF	OD: 1 1/8" (28.57mm), Right Hand, UNF Threaded insert
N156-TI-1/2"-20LHS	1/2"-20 UNF	OD: 1 1/8" (28.57mm), Left Hand, UNF Threaded insert
N156-TI-5/8"-18RH	5/8"-18 UNF	OD: 0.996" (25.3mm), Right Hand, UNF Threaded insert
N156-TI-5/8"-18LH	5/8"-18 UNF	OD: 0.996" (25.3mm), Left Hand, UNF Threaded insert
N156-TI-3/4"-16RH	3/4"-16 UNF	OD: 0.996" (25.3mm), Right Hand, UNF Threaded insert
N156-TI-3/4"-16LH	3/4"-16 UNF	OD: 0.996" (25.3mm), Left Hand, UNF Threaded insert

## STEEL THIN JAM NUT (NON-LOCKING CHEST NUT)

Cadmium Plated Military Specification Jam Nuts for rod end bearings.



The 10-32 size with left hand threads is a non-Mil Spec brass nut. The 5/8" size with left-hand threads is a very high-quality cad-plated steel jam nut, but has a smaller hex (15/16" wrench) and is thicker (3/8" thick) than the NN316 standard.



Part No.	Thread Size	Description (All Steel)
N158-HN-6x1R	6x1	Metric Threaded Jam Nut Right Hand
N158-HN-8x1.25R	8x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-10x1.25R	10x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-10x1.5R	10x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-12x1.25R	12x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-12x1.75R	12x1.75	Metric Threaded Jam Nut Right Hand
N158-HN-14x1.50R	14x1.50	Metric Threaded Jam Nut Right Hand
N158-HN-14x2.0R	14x2.0	Metric Threaded Jam Nut Right Hand
N158-HN-16x1.5R	16x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-16x2.0R	16x2.0	Metric Threaded Jam Nut Right Hand
N158-HN-18x1.5R	18x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-18x2.5R	18x2.5	Metric Threaded Jam Nut Right Hand
N158-HN-20x1.5R	20x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-20x2.5R	20x2.5	Metric Threaded Jam Nut Right Hand
N158-HN-1/4"-28 UNFx6.35R	1/4"-28 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/16"-24UNFx7.93R	5/16"-24UNF	UNF Threaded Jam Nut Right Hand
N158-HN-3/8-24x9.52R	3/8-24 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-7/16-20x11.11R	7/16-20 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-1/2-20x12.7R	1/2-20 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/8-18x15.57R	5/8-18 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/8-16x19.05R	5/8-16UNF	UNF Threaded Jam Nut Right Hand

## JAM NUT/ALUMINIUM THIN JAM NUT (NON-LOCKING CHEST NUT)

We also offer Aluminium Jam Nuts to our customers who are really into racing. These jam nuts are ideal for weight sensitive applications requiring peak Performance, quality and reliability. These nuts help to reduce the weight Of the vehicle and thus gain an advantage over competitors. Over 55% lighter than same size steel nuts.



Part No.	Thread Size	Description (Material : Aluminium)
N158-HN-6x1R	6x1.0	Metric Threaded Jam Nut Right Hand
N158-HN-8x1.25R	8x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-10x1.25R	10x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-10x1.5R	10x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-12x1.25R	12x1.25	Metric Threaded Jam Nut Right Hand
N158-HN-12x1.75R	12x1.75	Metric Threaded Jam Nut Right Hand
N158-HN-14x1.50R	14x1.50	Metric Threaded Jam Nut Right Hand
N158-HN-14x2.0R	14x2.0	Metric Threaded Jam Nut Right Hand
N158-HN-16x1.5R	16x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-16x2.0R	16x2.0	Metric Threaded Jam Nut Right Hand
N158-HN-18x1.5R	18x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-18x2.5R	18x2.5	Metric Threaded Jam Nut Right Hand
N158-HN-20x1.5R	20x1.5	Metric Threaded Jam Nut Right Hand
N158-HN-20x2.5R	20x2.5	Metric Threaded Jam Nut Right Hand
N158-HN-1/4"-28 UNFx6.35R	1/4"-28 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/16"-24UNFx7.93R	5/16"-24UNF	UNF Threaded Jam Nut Right Hand
N158-HN-3/8-24x9.52R	3/8-24 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-7/16-20x11.11R	7/16-20 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-1/2-20x12.7R	1/2-20 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/8-18x15.57R	5/8-18 UNF	UNF Threaded Jam Nut Right Hand
N158-HN-5/8-16x19.05R	5/8-16UNF	UNF Threaded Jam Nut Right Hand

## AFFIX NUT

These aluminium nuts are fashioned after the ball joint style nuts. They will eliminate the jam nuts and lock tabs. To put them on, just spin the nut down and tighten it with an allen wrench. Note: When tightening the bearing nut, snug it down against the bearing thrust washer, then line up the handle of your wrench with one of the lug bolts and back the nut off so that the handle of the wrench lines up with the next bolt, and then tighten the Allen bolt. This will prevent the wheel bearing from heating up and wearing out.



These Affix Nuts comes Left & Right Hand UNF and Metric threads.

All threads sizes available. Just state the "Affix Nut-thread size" for quotations.

## FUEL TANK BREATHER (NON-RETURN VALVE)

8

CNC Machined, these one way valves helps to prevent fuel spillage in the even of roll over. We offer an extensive range of non-return valves. Optimization of highest grade material makes these Valves long lasting in quality. These automotive non return valves are fabricated as the technical specification required for motorsports industry.



Part No.	Hose (I.D) Size	Description
N161-OWV-01	06mm	One Way Non Return Valve (Aluminium)
N161-OWV-03	08mm	One Way Non Return Valve (Aluminium)
N161-OWV-05	10mm	One Way Non Return Valve (Aluminium)
N161-OWV-07	12mm	One Way Non Return Valve (Aluminium)
N161-OWV-02	1/4 inch	One Way Non Return Valve (Aluminium)
N161-OWV-04	5/16 inch	One Way Non Return Valve (Aluminium)
N161-OWV-06	3/8 inch	One Way Non Return Valve (Aluminium)
N161-OWV-08	1/2 inch	One Way Non Return Valve (Aluminium)

## FUEL LINE UNIONS

Full range of Fuel Line Unions are available with us for almost any type of Fuel Pump.

These CNC machined to highest standard unions are available for various hose Pipes.



Part No.	Hose (I.D) Size	Description
N162-FLU-01	06mm	1/4 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-02	06mm	1/8 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-03	08mm	1/8 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-04	10mm	1/8 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-05	1/4 inch	1/4 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-06	1/4inch	1/8 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-07	5/16 inch	1/8 NTPE Threaded, Fuel Line Union Made of Brass
N162-FLU-08	3/8 inch	1/8 NTPE Threaded, Fuel Line Union Made of Brass

## BLOW OFF VALVE BOV RECIRE HOSE BUNG PLUG


9

These blanking plugs are ideal to plug recire hose when GOV being changed to atmospheric type. *This converts sumps plug to fit oil temperature gauge and sender unit.*

Made of aluminium, these plugs are extremely light in weight.

*Readily available in stock. Individually packed.*

*Catalogue companies packaging available.*



Part No.	Hose (I.D) Size	Description
N163-BOVP-01	10mm	Bov Recire Hose Bung Plug
N163-BOVP-02	25mm	Bov Recire Hose Bung Plug
N163-BOVP-03	34mm	Bov Recire Hose Bung Plug

## HOSE BLANKING PLUG FOR PIPE/TUBE/HOSE

These blanking plugs, made from Aluminium are ideal for blanking all unwanted pipes in induction, radiator, intercoolers, breathers, superchargers, engine dress up etc. These plugs are CNC machined for perfect grip and fit.

These high quality plugs fit flush with the wall of the hose.

*Readily available in stock. Individually packed.*

*Catalogue companies packaging available.*



Part No.	Hose (I.D) Size	Description
N164-BP-01	08mm	Hose Blanking Bung Plug (Aluminium)
N164-BP-02	12mm	Hose Blanking Bung Plug (Aluminium)
N164-BP-03	16mm	Hose Blanking Bung Plug (Aluminium)
N164-BP-04	19mm	Hose Blanking Bung Plug (Aluminium)
N164-BP-05	25mm	Hose Blanking Bung Plug (Aluminium)
N164-BP-06	32mm	Hose Blanking Bung Plug (Aluminium)

## DUMP VALVE BLANKING PLUG

10

Ally Blanking Plugs. These plugs have grooved circumferences to ensure excellent retention within the hose. These are available in various sizes.

*Readily available in stock. Individually packed.*

*Catalogue companies packaging available.*



Part No.	Hose (I.D) Size	Description
N165-BP-01	10mm	Hose Blanking Bung Plug (Aluminium)
N165-BP-02	20mm	Hose Blanking Bung Plug (Aluminium)
N165-BP-03	25mm	Hose Blanking Bung Plug (Aluminium)
N165-BP-04	28mm	Hose Blanking Bung Plug (Aluminium)
N165-BP-05	34mm	Hose Blanking Bung Plug (Aluminium)

## AXLE PARTS

### CALIPER MOUNTING BRACKET

*These Rear Caliper Mounting Brackets are designed to fit caliper to sit in front of axle in order to provide better effect than fitting behind.*

*Two washers are welded to its top two holes to enforce extra strength.*

*Rainbow coloured zinc plated for nice looking and make them corrosive restricted.*



Part No.	Description
N171-CMP-01	Rear Caliper Mounting Bracket

## VINYL RACING NUMBERS

11

Our Self Adhesive Numbers stickers are of very high quality. No wonder, over 40%


Of stickers in UK are directly or indirectly supplied by us.

Confirms to MSA Standard.

Easy peel off backing paper.

Cut to Size.

Height of Letter: 11 inch



Made from especially manufactured material to withstand motorsports conditions, these background

Stickers provides the base for number sticker to stand out. Easy to stick on any surface.

Size: 18inch x 18inch



Round background stickers for who people who

Wish to look different.

Diameter: 18 inch



Board Hard Backed Envelops with "DO NOT BEND"

Printing . These hard to find envelops in such a large size provides excellent solutions to catalogue, online companies to ship the racing numbers to their customer.

We also screen print them with your company name and address on the back or any message upto 50 words at some nominal charge.



<b>Part No.</b>	<b>Size</b>	<b>Description</b>
<b>N174-RN-00</b>	11 inch	Vinyl Racing Number "0" Color: Black
<b>N174-RN-01</b>	11 inch	Vinyl Racing Number "1" Color: Black
<b>N174-RN-02</b>	11 inch	Vinyl Racing Number "2" Color: Black
<b>N174-RN-03</b>	11 inch	Vinyl Racing Number "3" Color: Black
<b>N174-RN-04</b>	11 inch	Vinyl Racing Number "4" Color: Black
<b>N174-RN-05</b>	11 inch	Vinyl Racing Number "5" Color: Black
<b>N174-RN-06</b>	11 inch	Vinyl Racing Number "6" Color: Black
<b>N174-RN-07</b>	11 inch	Vinyl Racing Number "7" Color: Black
<b>N174-RN-08</b>	11 inch	Vinyl Racing Number "8" Color: Black
<b>N174-RN-09</b>	14 inch (Diameter)	Vinyl Racing Number Background (Round) Color: White
<b>N174-RN-10</b>	14inch	Vinyl Racing Number Background (Square) Color: White
<b>N174-RN-11</b>	11.1 inch	"Do Not Band" Envelops for posting these numbers
<b>N174-RN-00</b>	14.25 inch	"Do Not Band" Envelops for posting number backgrounds

## SLUMP PLUG SENSOR ADAPTOR

Made from solid brass, this sensor adaptor comes with blanking plug for an easy fitment of oil temperature sensor into the existing sump plug hole. The supply of 1/8 NPT brass blanking plug makes life a lot easier in case the sensor is ever removed. This adaptor comes with specific oil graded dowty seal which is absent in most of the common adaptors being sold in the market. These adaptors are compatible to any sensor with 1/8NPT threads.

Available in various sizes: 14mm, 16mm, 18mm, 20mm, 22mm



Part No.	Size	Description
N180-SPSA-00	14mm	Slump Plug Sensor Adaptor, 1/8 NPT Threads
N180-SPSA-01	16mm	Slump Plug Sensor Adaptor, 1/8 NPT Threads
N180-SPSA-02	18mm	Slump Plug Sensor Adaptor, 1/8 NPT Threads
N180-SPSA-03	20mm	Slump Plug Sensor Adaptor, 1/8 NPT Threads
N180-SPSA-04	22mm	Slump Plug Sensor Adaptor, 1/8 NPT Threads

## WATER TEMP. RADIATOR HOSE SENSOR ADAPTOR

CNC machined from billet aluminium, these universal water temperature gauge Radiator Hose Sensor Adaptors are especially designed to mount inline into a radiator hose. These adaptors are especially useful when an auxiliary water temperature gauge is installed but there is no port available in the intake manifold or water pump to mount the sensor.

Sizes: 30mm, 32mm, 34mm, 36mm, 40mm



Part No.	Size	Description
N181-RHSA-01	30mm	Water Temperature Radiator Hose Sensor Adaptor For Hose ID: 30mm
N181-RHSA-02	32mm	Water Temperature Radiator Hose Sensor Adaptor For Hose ID: 32mm
N181-RHSA-03	34mm	Water Temperature Radiator Hose Sensor Adaptor For Hose ID: 34mm
N181-RHSA-04	36mm	Water Temperature Radiator Hose Sensor Adaptor For Hose ID: 36mm
N181-RHSA-05	40mm	Water Temperature Radiator Hose Sensor Adaptor For Hose ID: 40mm

## WHEEL NUTS

### FORD REVOLUTION NUTS

Fits to all Ford Fitting Revolution Wheels

Thread Size: M12x1.5

Chrome Plated comes in the pack of 8 pieces.

Available Length: Standard, short (1")



Part No.	Size	Description
N182-RHSA-01	Standard	Ford Revolution Wheel Nuts Thread: 12x1.5
N181-RHSA-02	1 inch	Ford Revolution Wheel Nuts Thread: 12x1.5

## FORD/NISSAN/VW/MINI TYPE WHEEL STUDS (COMPETITION TYPE)

15

These are high tensile wheel studs for competition. These bolts are required when using Dis Brakes on English Axle. Autoblacked to highest standard for rust prevention.

These studs are available in various sizes as per details given below.




Part No.	Total Length	Description
N182-RHSA-01	47mm	Ford Wheel Studs Thread 12x1.5, Spline Diameter 13.1mm, Most common for F2
N182-RHSA-02	63mm	Ford Wheel Studs Thread 12x1.5, Spline Diameter 13.1mm
N182-RHSA-02	63mm	Ford Wheel Studs Thread 12x1.5, Spline Diameter 13.1mm
N182-RHSA-03	55mm	Ford Wheel Studs Thread 7/16" UNF, Spline Diameter 13.1mm
N182-RHSA-04	43mm	Ford Wheel Studs Thread 7/16" UNF, Spline Diameter 13.1mm
N182-RHSA-05	63mm	Subaru/Nissan Wheel Studs, Thread 12x1.25mm, Spline Diameter 14.3mm
N182-RHSA-06	65mm	Volkswagen Wheel Studs, Thread 12x1.5mm, Spline Diameter 15.0mm
N182-RHSA-07	80mm	Mini Type Wheel Studs, Thread 3/8" UNF to suit Mini, Morris, Minor, Sprite, Midge, Spline Diameter 10.3mm

## BLIND DIFF NUTS

Blind Diff Nuts\* for English Axle

These blind diff nuts help to prevent dirt and shale from clogging threads.

While in hurry, these nuts are a lot easier to hold of with spanner and sockets then the original nylocks. These diff nuts are ideal for holding the diff into the English Axles.



Part No.	Description
N172-BDN-01	Comes in the set of 8 bolts per packet

\*Custom sizes available on request without any extra charge

## HIGH TENSILE DIFF BOLT KIT

16

These high tensile diff bolts kit fits to the English axle type diff/drive shaft coupling. These bolts are made of high tensile material to withstand high pressure applied on driveshaft coupling under working conditions.

Autoblack plated to highest standard for rust prevention.



Part No.	Description
N173-HTB-01	Comes in the set of 4 bolts per packet

## BANJO BOLTS

A wide range of banjo bolts available with us. These banjo bolts fits most calliper threads and are common use on brake pipes. These bolts suits to 3 brake hoses.



Part No.	Thread	Material	Description
N183-BN-01	M10x1.0	Steel	Zinc Plated, comes with copper washers
N183-BN-02	M10x1.0	Stainless Steel	Comes with copper washers
N183-BN-03	M10x1.0	Stainless Steel	Comes with copper washers
N183-BN-04	3/8" UNF	Steel	Zinc Plated, comes with copper washers
N183-BN-04	3/8" UNF	Stainless Steel	Plated, comes with copper washers
N183-CW-01			Copper Washers for M10 or 3/8" UNF Banjo Nuts



Made from Billet Aluminium, these fan spacer position fan closer to radiator or fan shroud and away from pulleys. 1.5"-3" spacers are uniquely designed allowing spacer to remain bolted to water pump while changing fans. Aluminium spacers include reducer bushing, four Allen bolts to secure spacer to water pump and four hex bolts with washer to secure fan to spacer. These fan



spacers are available 4 different sizes to cater almost any type of customer requirements.  
 Note: 0.5" and 1.0" fan spacer comes with only one set of four Allen bolts only.

We also produce fan spacers for less than, half an inch. These fan spacers, are stamped out from steel sheets for more accuracy. These fan spacers are ideal for Minis. Available in 2mm, 4mm and 6mm sizes.



Part No.	Size	Description
N192-FS-01	2mm	Fan Spacer made of steel, zinc plated.
N192-FS-02	4mm	Fan Spacer made of steel, zinc plated.
N192-FS-03	6mm	Fan Spacer made of steel, zinc plated.
N192-FS-04	1.50"	Fan Spacer Kit includes: 4 Allan bolts, 4 bolts, 4 washers, 1 reducer spacer, 1 fan spacer
N192-FS-05	2.00"	Fan Spacer Kit includes: 4 Allan bolts, 4 bolts, 4 washers, 1 reducer spacer, 1 fan spacer
N192-FS-06	2.50"	Fan Spacer Kit includes: 4 Allan bolts, 4 bolts, 4 washers, 1 reducer spacer, 1 fan spacer
N192-FS-07	3.00"	Fan Spacer Kit includes: 4 Allan bolts, 4 bolts, 4 washers, 1 reducer spacer, 1 fan spacer
N192-FS-08	0.50"	Fan Spacer Fastener Kit includes: 4 Allan bolts, and fan spacer only
N192-FS-09	1.00"	Fan Spacer Fastener Kit includes: 4 Allan bolts, and fan spacer only

We produce bonnet pin kits in various sizes and colors. These bonnet pins are quick release type and a must have for any form car racing. We have various options of quick release pins available. From all aluminium to steel.

These round shaped quick release bonnet pins are available in all aluminium



Part No.	Type	Description
N200--SBP-01	Sliding Type	All Aluminium Parts: Sliding, Studs, Nuts, rivets, (except: steel Linchpin)
N200--SBP-02	Sliding Type	Aluminium Parts: Sliding, Studs, rivets, Steel: Linchpin & Nuts
N200--SBP-03	Sliding Type	Aluminium Parts: Sliding, rivets, Steel: Linchpin, Nuts, threaded studs.
N200--RBP-04	Round Type	All Aluminium Parts: Sliding, Studs, Nuts, rivets, Steel: Linchpin
N200--RBP-05	Round Type	Aluminium Parts: Sliding, Studs, rivets, Steel: Linchpin & Nuts
N200--RBP-04	Round Type	Aluminium Parts: Round rivets, Steel: Linchpin & Nuts
N200--RBP-04	Round Type	All Aluminium Parts: Sliding, Studs, Nuts, rivets, Steel: Linchpin & Nuts
N200--RBP-04	Round Type	All Aluminium Parts: Sliding, Studs, Nuts, rivets, Steel: Linchpin & Nuts

## PLASTIC SPROCKET GUARD FOR KARTS



19

This burly, Two-pieces gear guard protects sprockets up to 71 teeth. It drastically increases the life of the important components in your drive system. No need to remove your axle. Single split in each makes mounting a snap.



Part No	Description
N100-10-FB-BL	<b>Sprocket Guards Black (Pair)</b>
N100-10-B-BL	<b>Sprocket Guards Black (Front Only)</b>
N100-10-F-BL	<b>Sprocket Guards Black (Back Only)</b>

*Packaging Dimensions: 26x26x20cms Weight:6.8Kilo Quantity in one corrugated carton: 13 pairs*

## PUSH FIT UNION FOR MASTER CYLINDER

Union to fit directly into the master cylinder(7/16 UNF thread) to accept push fit pipe.



Part No: N101-10-00-ZW

## RESERVOIR RUBBER PUSH FIT HOSE (Per Meter)



Part No: N102-10-00-BL

Rubber hose to suit push fit reservoir Part No.NN402-0-00  
Sold per meter. While ordering, please mention quantity. Pipe is supplied in un-cut length i.e. if you want 20 meter, we send you one length of 20 meter.

Part No	Description
N100-10-FB-BL	7/16 UNF Push Fit Union
N102-10-BL	Push Fit Hose Pipe to fit with N101-00-ZW

## COMPETITION QUICK RELEASE BONNET PINS

The bonnet on a 205 can often get a bit 'flappy' at speed and the front catch can also fail, so you may like to consider fitting a pair of bonnet pins at the front of the bonnet. Or you may have a fiberglass/carbon fibre bonnet that needs holding down, in that case you'd use at least 4 pins (2 at the front and 2 at the back). Either way, fitting bonnet pins to the 205 is quite a simple job as there is plenty of room to fit them in a variety of places



*Competition Quick Release Bonnet Pins Sleeve Type.*

*Threads: M10*

*Made of Aluminium.*

*Available in three colors: Blue, Red and Silver.*

Part No	Description
N154-10-00-ASL	<b>M10 Quick Release Bonnet Pin, Color: Silver</b>
N154-20-00-ABL	<b>M10 Quick Release Bonnet Pin, Color: Blue</b>
N154-30-00-ARD	<b>M10 Quick Release Bonnet Pin, Color: Red</b>

*Packaging: 100 sets (4 pieces) in one box.*



## FLATHEAD ENGINE THROTTLE KITS

*Throttle Linkage Kit fits Tillotson*

*(Flathead Engines)*




**Part No: N103-10-00-ASSY**

*Animal Kwik-Link Kit for Flathead Engines:*



**Part No: N104-10-00-ASSY**

### *Aluminium Linkage Arm Throttle Clevis Kit*



**Part No: N105-10-00-AW**

### *Compression Fittings-Brass*



**Part No: N103-10-01-XXX**

*Male quick link kit*



**Part No. N106-10-00-AW**

Part No	Description
N103-10-00-ASSY	<b>Tillotson throttle Kit for Flathead Engines</b>
N104-10-00-ASSY	<b>Animal Kwik-Link Kit for Flathead Engines</b>
N103-10-01-XXX	<b>Compression Fittings</b>
N105-10-00-AW	<b>Aluminium Linkage Arm Throttle Celvis</b>
N106-10-00-AW	<b>Male Quick Link Kit</b>

*Packing: 50 Kits per box.*

### Choke Lever Spring

Choke Lever Spring to keep choke shut during racing for animal engines.



Part No: N107-10-00ZW

### Pulse Fittings for Animal Engines.

It sends pulse to fuel pump-includes o-ring seals.



Part No: N108-10-00-AW

Part No	Description
N107-10-00-ZW	Choke Lever Spring.
N108-10-00-AW	Pulse Fitting for animal.

Packing: 100 pieces in one box.

## AXLES AND ACCESSORIES: SNAP RINGS

Snap rings for Axles.

Sizes: 1 ¼" Axle Snap Ring (10 pack quantity)



Part No: N109-10-00-BL

Index washer kits for Spark Plugs

Kit contains 30 washers of 3 different sizes.



Part No: N110-10-00-XX

Part No	Description
N109-10-00-BL	Snap Rings for Axles.
N110-10-00-XX	Index Washers Kit for Spark Plugs.

Packing: 100 Packets per box.

CV Valve guide (without seam) 0.314

Part No: N111-10-00-XX



### EXHAUST ACCESSORIES:

Header Bolt Kit with wire

Header Bolt kit with wire (Metric to fit Animal)



Part No: N112-10-00-BL

Part No	Description
N111-10-00-XX	CV Valve guide.
N112-10-00-BL	Header Bolt Kit-Standard.
N112-11-00-BL	Header Bolt Kit for animal (Metric)

Packing: 100 kits per box


*Compression Fittings for brakes.*

*This fitting also fits in carburettor and throttle kits*



Part No	Description
N103-10-01-XXX	<b>Compression Fittings (Universal).</b>

*Packing: 50 kits per box.*




Premium quality heavy duty window net for racing cars.

These are made of PP which is a strong material and use by most of the top brands.

Main Features:

1. 1" webbing wide webbing . These are made of polypropylene webbing
2. Various size available.
3. Loop Ends for rod fittings
4. Available in 8 different colors.
5. Manufactured in accordance to the FIA requirements of Appendix J, Art. 253-11.
6. This window gives good visibility.



## SHOULDER PADS

---

Neha International Shoulder Pads are made with fire resistant Nomex fabric and have a Velcro closure. Designed to fit any 3" wide harness or seatbelt straps..

Supplied as a pair.

